

10182 AGRICULTURE WATER SUCTION



Rubberworx agricultural suction hose is engineered for versatility and reliability across a wide range of applications, including agriculture, construction, mining, and industrial sectors. Designed with high durability, flexibility, and resistance to chemicals, oils, and fuels, these hoses can withstand a wide range of temperatures and vacuum intensive applications.

The construction includes flexible materials with a reinforced PVC helix for enhanced performance, making it suitable for tasks such as water transfer, chemical handling, slurry transport, and material handling. With robust specifications, this hose is ideal for demanding applications that require a combination of strength, flexibility, and long-lasting performance.

TUBE	Black Synthetic Rubber
REINFORCEMENT HELIX	Green PVC
TEMPERATURE	-40°F to 140°F
BRANDING EXAMPLE	RUBBERWORX 2" AGRICULTURAL SUCTION
PACKAGING SPECIFICATIONS	Roll or Cut Length wrapped in plastic for shipping

PART #	ID			OD			WP		BEND RADIUS		VACUUM PRESSURE	WEIGHT		PACKAGING (ft)
	Fraction (in)	Decimal (in)	Metric (mm)	Fraction (in)	Decimal (in)	Metric (mm)	PSI	Bar	Decimal (in)	Metric (mm)	inHg	(lb/ft)	(kg/m)	
10182-100	1	1.00	25	1 1/3	1.34	34	50	3	2	48	29	0.23	0.34	100
10182-125	1 1/4	1.25	32	1 2/3	1.65	42	50	3	3	81	29	0.34	0.51	100
10182-150	1 1/2	1.50	38	1 5/6	1.84	47	50	3	3	81	29	0.40	0.60	100
10182-200	2	2.00	51	2 3/7	2.43	62	50	3	5	132	29	0.67	1.00	100
10182-250	2 1/2	2.50	64	3	2.99	76	50	3	6	142	29	0.92	1.37	100
10182-300	3	3.00	76	3 1/2	3.52	89	43	3	7	180	29	1.10	1.64	100
10182-400	4	4.00	102	4 3/5	4.61	117	38	3	11	279	29	1.84	2.74	100
10182-600	6	6.00	152	6 4/5	6.81	173	23	2	20	508	28	3.07	4.57	100

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov.